

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L2	349	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L3	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L4	30	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L5	81	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L6	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L7	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L8	1066	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L9	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L10	14238	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L11	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L12	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

L13	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L14	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L15	81	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L16	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L17	14238	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L18	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L19	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L20	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L21	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L22	30	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L23	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L24	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

L25	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L26	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L27	349	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L28	1066	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L29	2	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L30	2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L31	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L32	0	(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L33	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L34	359	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L35	123	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L36	23	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

L37	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/18 10:13
L38	0	L37 and L34	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L39	164213	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L40	2	L39 and L37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L41	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L42	18	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
L43	1	"5787287".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:13
S1	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:39
S2	305	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/27 11:25
S3	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/27 11:27
S4	26	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17
S5	71	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17

S6	53	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17
S7	125	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:27
S8	941	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:28

Best Available Copy

S9	293	("6286135" "6312924" "6265636" "6384203" "6403337" "6355788" "5854934" "5930510" "6026240" "6070011" "6151704" "4802091" "5613121" "5634059" "5742781" "5797013" "5805863" "6059841" "6059841" "6151706" "6192515" "6226790" "6226790" "6253373" "6343375" "6367071" "6651246" "6654952" "6745384" "6397379" "6031994" "5692169" "5778219" "6240531" "5862385" "6049669" "5411046" "5644758" "5706483" "6026239" "6299501" "6461214" "6313376" "6388169" "6392126" "6403860" "6421613" "5606258" "5546559" "5655122").pn. ("6173443" "6376445" "5802338" "5915117" "6401187" "6539541" "5850554" "6128775" "6448035" "5493675" "5577253" "5836014" "5835771" "6006033" "6059839" "6059839" "6151701" "6289505" "6295644" "6427234" "6651247" "6622301" "6014725" "6475753" "5469572" "5991856" "6226787" "6226787" "6078290" "6314562" "6757892" "6383778" "5790867" "5822570" "5850553" "5987249" "5999738" "6119223" "6122656" "6173444" "6186677" "6202204" "5958045" "5854933" "5774727" "5828875" "5920724" "6016399" "6036346" "6128727").pn. ("6287765" "6327514" "6341371" "5966538" "6462874" "5407755" "5761635" "4594847" "4891961" "5619543" "5266876" "5920502" "6002612" "6046939" "4794514" "5337156" "5828313" "6079004" "6128096" "6181432" "5522053" "6113651" "6351570" "5327253" "6262161" "6362270" "4850629" "4990346" "4958305" "4873476" "6442385" "4353092" "4463250" "4516950" "5233658" "5239487" "5717845" "5819093" "6042614" "6185672" "6247114" "6268853" "6272672" "6286017" "6460130" "5452934" "5354589" "6246422" "4358678" "4509039").pn. ("4517093" "4832343" "4856688" "5249592" "5395343" "5459451" "5672998" "5696918" "5760771" "6105758" "6150857" "6316703" "5834085" "5629889" "6313375" "6379665" "6426072" "6436703" "6465203" "6229737" "6173162" "5179527" "6119165" "6380361" "6440011" "6704702" "6447559")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 12:04
----	-----	--	---	----	----	------------------

Best Available Copy

S10	99	<p>(("6286135" "6312924" "6265636" "6384203" "6403337" "6355788" "5854934" "5930510" "6026240" "6070011" "6151704" "4802091" "5613121" "5634059" "5742781" "5797013" "5805863" "6059841" "6059841" "6151706" "6192515" "6226790" "6226790" "6253373" "6343375" "6367071" "6651246" "6654952" "6745384" "6397379" "6031994" "5692169" "5778219" "6240531" "5862385" "6049669" "5411046" "5644758" "5706483" "6026239" "6299501" "6461214" "6313376" "6388169" "6392126" "6403860" "6421613" "5606258" "5546559" "5655122").pn. ("6173443" "6376445" "5802338" "5915117" "6401187" "6539541" "5850554" "6128775" "6448035" "5493675" "5577253" "5836014" "5835771" "6006033" "6059839" "6059839" "6151701" "6289505" "6295644" "6427234" "6651247" "6622301" "6014725" "6475753" "5469572" "5991856" "6226787" "6226787" "6078290" "6314562" "6757892" "6383778" "5790867" "5822570" "5850553" "5987249" "5999738" "6119223" "6122656" "6173444" "6186677" "6202204" "5958045" "5854933" "5774727" "5828875" "5920724" "6016399" "6036346" "6128727").pn. ("6287765" "6327514" "6341371" "5966538" "6462874" "5407755" "5761635" "4594847" "4891961" "5619543" "5266876" "5920502" "6002612" "6046939" "4794514" "5337156" "5828313" "6079004" "6128096" "6181432" "5522053" "6113651" "6351570" "5327253" "6262161" "6362270" "4850629" "4990346" "4958305" "4873476" "6442385" "4353092" "4463250" "4516950" "5233658" "5239487" "5717845" "5819093" "6042614" "6185672" "6247114" "6268853" "6272672" "6286017" "6460130" "5452934" "5354589" "6246422" "4358678" "4509039").pn. ("4517093" "4832343" "4856688" "5249592" "5395343" "5459451" "5672998" "5696918" "5760771" "6105758" "6150857" "6316703" "5834085" "5629889" "6313375" "6379665" "6426072" "6436703" "6465203" "6229737" "6173162" "5179527" "6119165" "6380361" "6440011" "6704709" "6447559")</p>	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 12:16						
Search History	4/18/05 10:12:52 AM	Page 7	6465203	6229737	6173162	5179527	6119165	6380361	6440011	6704709	6447559	C:\Documents and Settings\Rowles\My Documents\FAST\Workspaces\METHOD, APPARATUS, AND SYSTEM TO FORMULATE REGIC

S11	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S12	12021	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S13	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S14	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 17:56
S15	13	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 18:19
S16	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 18:20
S20	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S21	348	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S22	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S23	29	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S24	80	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S25	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55

S26	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S27	1065	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S28	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S29	14187	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S30	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S31	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S32	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S33	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S34	2	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S35	2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S36	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S37	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:08

S38	0	(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:59
S39	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:00
S40	355	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:04
S41	122	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S42	23	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:04
S43	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/05 13:04
S44	0	S43 and S40	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S45	163735	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S46	2	S45 and S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S47	18	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 14:36